Application Serial No. 10/501,043 PATENT

Reply to Office Communication of June 17 2011

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Geir Monsen Vavik

SERIAL NO: 10/501,043

FILED: October 14, 2004

TITLE: ANALOGUE REGENERATIVE TRANSPONDERS INCLUDING

REGENERATIVE TRANSPONDER SYSTEMS

EXAMINER: Bernarr E. Gregory

Geir Monsen Vavik, Over Vikeraunet 3, N-7057 JONSVATNET, Norway

July 29, 2011

Docket: CU-3831

Phone: +47 73 82 69 72 Fax: +47 73 82 69 78

## AMENDMENTS, REQUEST FOR CONTINUED EXAMINATION, NO NEW MATTER STATEMENT, REPLY BRIEF

The Commissioner for Patents

Sir:

In response to the office action dated June 17 2011, setting a 1 months shortened statutory period for a reply ending on July 17 2011 the applicant submits the following amendments and statements.

Amended claims begin on page 2 of this document.

Request for Continued Examination is at page 11 of this document.

No new matter statement in on page 12 of this document.

Reply brief begins at page 13 of this document.

Attached to the filing of this document are clean versions of amended claims and of amended specification. Also attached is an unclean version of the amended specification.